

FEDERAL PUBLIC SERVICE COMMISSION COMPETITIVE EXAMINATION FOR RECRUITMENT TO POSTS IN BPS-17 UNDER THE FEDERAL GOVERNMENT, 2010

Roll Number

COMPUTER SCIENCE

TIME ALLOWED	(PART-I)	30 MINUTES	MAXIMUM MARKS:20
TIME ALLOWED:		2 HOURS & 30 MINUTES	MAXIMUM MARKS:80

NOTE: (i) First attempt PART-I (MCQ) on separate Answer Sheet which shall be taken back after 30 minutes.

(ii) Overwriting/cutting of the options/answers will not be given credit.


PART – I (MCQ) (COMPULSORY)

Q.1. S	select the best option/answer and fill in the appropriate box on the Answer Sheet. (20)
(i)	Object (also called) is a common data type that includes photograph, audio, video, or a
(1)	document created in other applications.
	(a) Number (b) BLOB (c) Integer (d) Binary (e) None of these
(ii)	In a database, a(n) is a group of related fields.
(11)	(a) Table (b) Key (c) Record (d) Primary Field (e) None of these
(iii)	In a database, a(n) field is a field that uniquely identifies each record in a file.
(111)	(a) Main (b) Identifying (c) Master (d) Key (e) None of these
(iv)	If the lowest annual fee at a discount warehouse is Rs.2025 and the highest is Rs. 5550, a(n)
(iv)	on the Annual Fee field ensures it is a value between Rs. 2025 and Rs. 5550.
	(a) Range Check (b) Completeness Check (c) consistency check
(71)	(d) alphabetic/numeric check (e) None of these
(v)	A DBMS uses the to perform validation checks. (a) Data Server (b) data mart (c) data warehouse (d) data dictionary
(')	(e) None of these
(vi)	is a network technology that defines how messages are routed from one end of a
	network to the other, ensuring the data arrives correctly by dividing it into packets.
(::)	(a) HTML (b) XML (c) HTTP (d) TCP/IP (e) None of these
(VII)	When a computer sends data over the Internet, the data is divided into small pieces, or
	(a) Bundles (b) Packets (c) Slices (d) Baskets (e) None of these
(V111)	The amount of data, instructions, and information that can travel over a communications channel
	sometimes is called the
·)	(a) Broadband (b) Baseband (c) Latency (d) Bandwidth (e) None of these
(1X)	Fiber-optic cables have all of the following advantages over cables that use wire <i>except</i>
	(a) lower costs and easier installation and modification
	(b) faster data transmission and smaller size
	(c) less susceptible to noise from other devices
	(d) better security for signals during transmission
(**)	(e) None of these
(x)	A is a network that connects computers and devices in a limited geographical area, such as a home, school computer laboratory, or office building.
	(a) local area network (LAN) (b) metropolitan area network (MAN)
	(c) wide area network (WAN) (d) variable area network (WAN) (e) None of these
(vi)	With memory, the operating system allocates a portion of a storage medium, usually the
(xi)	hard disk, to function as additional RAM.
	(a) Virtual (b) Performance (c) Device (d) Managed (e) None of these
(vii)	If a new device, such as a printer or scanner, is attached to a computer, its must be installed
(XII)	before the device can be used.
	(a) Driver (b) Platform (c) Manager (d) Kernel (e) None of these
(viii)	A is an icon on the desktop that provides a user with immediate access to a program or file.
(XIII)	(a) Kernel (b) Spooler (c) Buffer (d) Shortcut (e) None of these
(viv)	a disk, or reorganizing it so the files are stored in contiguous sectors, speeds up
(AIV)	disk access and thus the performance of the entire computer.
	(a) Formatting (b) Defragmenting (c) Spooling (d) Compressing (e) None of these
	(a) Formatting (b) Defragmenting (c) Spooring (d) Compressing (e) None of these

COMPUTER SCIENCE

- (xv) The term, computer _____, describes a potentially damaging computer program that affects, or infects, a computer negatively by altering the way the computer works without the user's knowledge or permission.
 - (a) Hotspot
- (b) file compression utility
- (c) virus

- (d) file conversion utility
- (e) None of these
- (xvi) In a diagram such as the one pictured in Figure below, a(n) shows the input or output of information into or out from a process.



- (a) use case
- (b) data flow
- (c) entity relationship

- (d) class diagram
- (e) None of these
- (xvii) Although used in all types of business modeling, the ____ has been adopted as a standard notation for object modeling.
 - (a) UML
- (b) CASE Tool
- (c) USE CASE diagram

- (d) EMR
- (e) None of these
- (xviii) For each input and output, a systems analyst typically develops a(n) _____, which is a sample of the input or output and contains actual data.
 - (a) Adaptation (b) Prototype (c) Mockup is a working model of a proposed system.
- (d) feasibility scheme (e) None of these
- (xix)
 - (a) adaptation (b) feasibility scheme (c) mockup
- (d) prototype
- (e) None of these

(xx)A unit test

NOTE:

- (a) verifies that each individual program works by itself ANS A
- (b) verifies that all programs in an application work together properly
- (c) verifies that an application works with other applications
- (d) is performed by end-users and verifies that the new system works with actual data
- (e) None of these

PART – II

- PART-II is to be attempted on the separate Answer Book.
- Attempt ONLY FOUR questions from PART-II, selecting at least ONE question from each SECTION. All questions carry EQUAL marks.

(iii) Extra attempt of any question or any part of the attempted question will not be considered.

(iv) Use of Calculator is allowed.

SECTION - I

- Q.2. (a) List OSI Seven Layers in order and briefly describe functions of each layer (10+6+4)
 - (b) What is difference between IPv4 and IPv6. Why IPv6 was developed when there IPv4 was already available and implemented?
 - (c) What is difference between physical address, logical address, domain and port number?
- O.3. Consider the following set of processes, with the length of the CPU-burst time given in milliseconds: (8+4+4+4)

Process	Burst Time	Priority		
<i>P</i> 1	10	3		
P2	1	1		
P3	2	3		
P4	1	4		
P5	5	2		

COMPUTER SCIENCE

The processes are assumed to have arrived in the order P1, P2, P3, P4, P5, all at time 0.

- (a) Draw four Gantt charts illustrating the execution of these processes using FCFS, SJF, nonpreemptive priority (a smaller priority number implies a higher priority), and RR (quantum = 1) scheduling.
- (b) What is the turnaround time of each process for each of the scheduling algorithms in part a?
- (c) What is the waiting time of each process for each of the scheduling algorithms in part a?
- (d) Which of the schedules in part a results in the minimal average waiting time (over all processes)?
- Q.4. (a) Consider a logical address space of eight pages of 1024 words each, mapped onto a physical memory of 32 frames. (6+10+4)
 - (i) How many bits are there in the logical address?
 - (ii) How many bits are there in the physical address?
 - (b) Consider the following segment table:

Segment	Base	Length
0	219	600
1	2300	14
2	90	100
3	1327	580
4	1952	96

What are the physical addresses for the following logical addresses?

(i) 0,430 (ii) 1,10

1,10 (iii) 2,500

(iv) 3,400

(v) 4,112

(c) What are the four necessary conditions for deadlock? Define each condition.

SECTION – II

Q. 5. (a) Define following terms:

(16+4)

- (i) Class
- (ii) Encapsulation
- (iii) Abstraction

- (iv) Shadowing
- (v) Inheritance
- (vi) Polymorphism
- (vii) Copy Constructor (viii) Serialization
- (b) Write the output of the following program:

```
class Crectangle
        private:
                     width, height;
              int
        public:
              CRectangle (int, int);
              ~CRectangle ();
              int area (void)
             {
                   return (width *height);
CRectangle::CRectangle (int a, int b)
           width = a;
           height = b;
void main ()
{
            CRectangle recta (3,4), rectb (5,6);
            cout<<"recta area = " << rect.area() << endl;</pre>
            cout<<"rectb area = "<< rectb.area()<< endl;</pre>
```

COMPUTER SCIENCE

Q.6. (a) Suppose the following sorted array A of integers:

(6+7+7)

A[0]	A[1]	A[2]	A[3]	A[4]	A[5]	A[6]
1	2	5	7	9	11	13

If you perform the binary search, for each of the search keys given below, write down the sequence of array values that are compared with the search value during the search.

Searching for 2	Searching for 13	Searching for 8
-	_	

(b) Trace the execution of SELECTION SORT on the following array by showing the contents of the array after every step.

A[0]	A[1]	A[2]	A[3]
20	18	10	15

(c) If we implement the binary search tree with an array A, what will be the status of the array A after inserting the values {7, 4, 1, 3, 11} to an initially empty tree?

A[0]	A[1]	A[2]	A[3]	A[4]	A[5]	A[6]	A[7]	A[8]	A[9]	A[10]

SECTION - III

- Q.7. (a) Why normalization is used in relational databases? Define second and third normal form with an example. (10+3+3+4)
 - (b) What is difference between primary key and the alternate key? Why primary key is used in each relation?
 - (c) What is difference between weak entity and strong entity?
 - (d) Draw an entity relationship diagram between EMPLOYEES, DEPARTMENTS and PROJECTS assuming that each project can be started by only one department and each employee can be employed by only one department at a time. Write down any other assumption if you use it.
- Q.8. (a) Given a point P(10, 10). Rotate this point around origin O(0, 0) at an angle of 90 degree anticlockwise and calculate the resulting point (8+8+4)
 - (b) Write down the conditions for point clipping
 - (c) What are the major components of a Cathode Ray Tube (CRT). Write down names only
