



FEDERAL PUBLIC SERVICE COMMISSION  
 COMPETITIVE EXAMINATION FOR  
 RECRUITMENT TO POSTS IN BPS-17 UNDER  
 THE FEDERAL GOVERNMENT, 2010

Roll Number

PURE MATHEMATICS, PAPER-I

**TIME ALLOWED: 3 HOURS** **MAXIMUM MARKS:100**

**NOTE:** (i) Attempt **FIVE** questions in all by selecting at least **THREE** questions from **SECTION-A** and **TWO** questions from **SECTION-B**. All questions carry **EQUAL** marks.  
 (ii) Use of Scientific Calculator is allowed.

SECTION – A

- Q.1.** (a) Let  $W$  be a subspace of a finite dimensional vector space  $V$ , then  $W$  is finite dimensional and  $\dim(w) \leq \dim(v)$ . Also if  $\dim(w) = \dim(V)$ , then  $V = W$ . (10)  
 (b) Let  $V$  &  $W$  be vector space and let  $T : V \rightarrow w$  be a linear if  $V$  is finite dimensional, then  $\text{nullity}(T) + \text{rank}(T) = \dim v$  (10)
- Q.2.** (a) Show that there exist a homomorphism from  $S_n$  onto the multiplication group  $\{-1,1\}$  of 2 elements ( $n \geq 1$ ). (7)  
 (b) If  $H$  is the only subgroup of a given finite order in a group  $G$ . Prove that  $H$  is normal in  $G$ . (7)  
 (c) Show that a field  $K$  has only two ideals (namely  $K$  &  $(0)$ ). (6)
- Q.3.** (a) Find all possible jordan canonical forms for  $3 \times 3$  matrix whose eigenvalues are  $-2,3,3$  (10)  
 (b) Show that matrix  $\begin{bmatrix} 1 & 3 & 0 \\ 0 & 2 & 1 \\ 0 & 1 & 1 \end{bmatrix}$  (10)  
 is diagonalizable with minimum calculation
- Q.4.** (a) Every group is isomorphic to permutation group (7)  
 (b) Show that for  $n \geq 3$   $Z(S_n) = I$  (6)  
 (c) Let  $A, B$  be two ideal of a ring, then  $\frac{A+B}{A} = \frac{B}{A \cap B}$ . (7)
- Q.5.** (a) Verify Cayley – Hamilton theorem for the matrix (7)  

$$A = \begin{bmatrix} 0 & 1 & 2 \\ 2 & -3 & 0 \\ 1 & 1 & 1 \end{bmatrix}$$
  
 (b) Prove that ring  $A = \mathbb{Z}$ , the set of all integers is a principal ideal ring. (7)  
 (c) Under what condition on the scalar, do the vectors  $(1,1,1)$ ,  $(1,\xi,\xi^2)$ ,  $(1,-\xi,\xi^2)$  form basis of  $\mathbb{C}^3$ ? (6)

SECTION – B

- Q.6.** (a) Show that  $T.N. = 0$  for the helix (10)  
 $R(t) = (\cos wt) \hat{i} + (a \sin wt) \hat{j} + (bt) \hat{k}$   
 (b) The vector equation of ellipse  $r(t) = (2 \cos t) \hat{i} + (3 \sin t) \hat{j}$ ; ( $0 \leq t \leq 2\pi$ )  
 Find the curvature of ellipse at the end points of major & minor axes. (10)
- Q.7.** (a) Discuss & sketch the surface (12)  
 $x^2 + 4y^2 = 4x - 4z^2$   
 (b) Show that an equation to the right circular cone with vertex at  $0$ , axis  $oz$  & semi-vertical angle  $\alpha$  is  $x^2 + y^2 = z^2 \tan^2 \alpha$  (8)
- Q.8.** (a) Show that hyperboloids of one sheet and hyperbolic parabolas are ruled surface. (6+6)  
 (b) Find an equation of the plane which passes through the point  $(3,4,5)$  has an  $x$  – intercept equal to  $-5$  and is perpendicular to the plane  $2x+3y-z = 8$ . (8)

\*\*\*\*\*



FEDERAL PUBLIC SERVICE COMMISSION  
COMPETITIVE EXAMINATION FOR  
RECRUITMENT TO POSTS IN BPS-17 UNDER  
THE FEDERAL GOVERNMENT, 2010

Roll Number

PURE MATHEMATICS, PAPER-II

TIME ALLOWED: 3 HOURS

MAXIMUM MARKS:100

NOTE:

- (i) Attempt **FIVE** questions in all by selecting at least **THREE** questions from **SECTION-A** and **TWO** questions from **SECTION-B**. All questions carry **EQUAL** marks.
- (ii) Use of Scientific Calculator is allowed.

SECTION – A

- Q.1.** (a) If  $f$  is continuous on  $[a,b]$  and if  $\infty$  is of bounded variation on  $[a,b]$ , then  $f \in R(\infty)$  on  $[a, b]$  i.e.  $f$  is Riemann – integrable with respect to  $\infty$  on  $[a,b]$  (10)
- (b) Let  $\sum a_n$  be an absolutely convergent series having sum  $S$ . then every rearrangement of  $\sum a_n$  also converges absolutely & has sum  $S$ . (10)

**Q.2.** (a) For what +ve value of  $P$ ,  $\int_0^1 \frac{dx}{(1-x)^p}$  is convergent? (10)

(b) Evaluate  $\int_1^5 \frac{dx}{\sqrt[3]{x-2}}$  (10)

**Q.3.** (a) Find the vertical and horizontal asymptotes of the graph of function:

$$f(x) = (2x + 3) \sqrt{x^2 - 2x + 3} \quad (10)$$

(b) Let (i)  $y = f(x) = \frac{(x+2)(x-1)}{(x-3)^2}$

(ii)  $y = f(x) = \frac{(x-1)}{(x+3)(x-2)}$  (10)

Examine what happens to  $y$  when  $x \rightarrow -\infty$  &  $x \rightarrow +\infty$

**Q.4.** (a) Find a power series about 0 that represent  $\frac{x}{1-x^3}$  (6)

(b) Let  $\sum_n s_n$  be any series, Justify. (5+5+4)

(i) if  $\lim_{n \rightarrow \infty} \left| \frac{S_{n+1}}{S_n} \right| = r < 1$ , then  $\sum_n s_n$  is absolutely convergent.

(ii) if  $\lim_{n \rightarrow \infty} \left| \frac{S_{n+1}}{S_n} \right| = r$  and  $(r > 1$  or  $r = \infty)$ , then  $\sum_n s_n$  diverges.

(iii) if  $\lim_{n \rightarrow \infty} \left| \frac{S_{n+1}}{S_n} \right| = 1$ , then we can draw no conclusion about the convergence or divergence.

**PURE MATHEMATICS, PAPER-II**

**Q.5. (a)** Show that  $\int_0^{\pi/2} \sin^{2m-1}\theta \cos^{2n-1}\theta d\theta = \frac{\Gamma(m)\Gamma(n)}{2\Gamma(m+n)}$ ;  $m, n > 0$  **(10)**

(b) Prove that  $\beta(m, n) = \frac{\Gamma(m)\Gamma(n)}{\Gamma(m+n)}$ ;  $m, n, > 0$  **(10)**

**Q.6. (a)** Let A be a sequentially compact subset of a matrix space X. Prove that A is totally bounded. **(10)**

(b) Let A be compact subset of a metric space (X,d) and let B be a closed subset of X such that  $A \cap B = \Phi$  show that  $d(A,B) > 0$  **(10)**

**SECTION – B**

**Q.7. (a)** Show that if  $\tan Z$  is expanded into Laurent series about  $Z = \frac{\pi}{2}$ , then **(10)**

(i) Principal is  $\frac{-1}{z - \pi/2}$

(ii) Series converges for  $0 < |Z - \frac{\pi}{2}| < \frac{\pi}{2}$

(b) Evaluate  $\frac{1}{2\pi i} \oint_C \frac{e^{zt}}{z^2(z^2 + 2z + 2)} dz$  around the circle with equation  $|z|=3$ . **(10)**

**Q.8. (a)** Expand  $f(x) = x^2$ ;  $0 < x < 2\pi$  in a Fourier series if period is  $2\pi$ . **(10)**

(b) Show that  $\int_0^{\infty} \frac{\cos x dx}{x^2 + 1} = \frac{\pi}{a} e^{-x}$ ;  $x \geq 0$  **(10)**

**Q.9. (a)** Let  $f(z)$  be analytic inside and on the simple close curve except at a pole of order  $m$  inside  $C$ . Prove that the residue of  $f(z)$  at  $a$  is given

by  $a_{-1} = \lim_{z \rightarrow a} \frac{1}{(m-1)!} \frac{d^{m-1}}{dz^{m-1}} \{(z-a)^m f(z)\}$  **(10)**

(b) If  $f(z)$  is analytic inside a circle  $C$  with center at  $a$ , then for all  $Z$  inside  $C$ .

$f(z) = f(a) + f'(a)(z-a) + f''(a) \frac{(z-a)^2}{2!} + f'''(a) \frac{(z-a)^3}{3!} + \dots$  **(10)**

\*\*\*\*\*